


## Slurricane

Sample ID: 2201CGL0264.0601  
Strain: Slurricane  
Matrix: Concentrates & Extracts  
Type: Other  
Sample Size: 10 units; Batch:

Produced:  
Collected: 01/26/2022  
Received: 01/26/2022  
Completed: 02/01/2022  
Batch#:

Client  
**Temecula Honey**  
Lic. #  
645 W 9th St  
Los Angeles, CA 90744

	<b>87.604%</b>	<b>91.972%</b>	<b>Not Tested</b> NT	<b>Pass</b>
	Total THC	Total Cannabinoids	Moisture SOP-004	Pesticides
	<b>0.227%</b>	<b>NT</b>	<b>Not Tested</b> NT	<b>Pass</b>
	Total CBD	Terpenes	Water Activity SOP-009	Solvents

## Cannabinoids

Analytical Batch ID:

Complete

Analyte	LOQ	%
THCa	0.096	ND
Δ9-THC	0.096	87.604
Δ8-THC	0.096	ND
THCV	0.096	0.806
CBDa	0.096	ND
CBD	0.096	0.227
CBDV	0.096	ND
CBN	0.096	0.388
CBGa	0.096	ND
CBG	0.096	1.764
CBC	0.096	1.182
<b>Total THC</b>		<b>87.604</b>
<b>Total CBD</b>		<b>0.227</b>
<b>Total</b>		<b>91.972</b>

TESTED & TRUSTED

1 Unit = 1 Cartridge, 1g. 1 unit(s) per serving. 1 serving(s) per container.

Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Jordan Groathouse*

Jordan Groathouse - Laboratory Manager  
02/01/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

# Slurricane

Sample ID: 2201CGL0264.0601  
Strain: Slurricane  
Matrix: Concentrates & Extracts  
Type: Other  
Sample Size: 10 units; Batch:

Produced:  
Collected: 01/26/2022  
Received: 01/26/2022  
Completed: 02/01/2022  
Batch#:

Client  
**Temecula Honey**  
Lic. #  
645 W 9th St  
Los Angeles, CA 90744

## Pesticides

Pass

Pesticides	LOD	LOQ	Limit	Mass	Status	Pesticides	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	ND	Pass
Bifenazate	0.01875	0.075	0.1	ND	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.01875	0.075	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Pacllobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.01875	0.075	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoxazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Fonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

Date Tested: 01/28/2022

Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Jordan Groathouse*

Jordan Groathouse - Laboratory Manager  
02/01/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Slurricane

Sample ID: 2201CGL0264.0601	Produced:	Client
Strain: Slurricane	Collected: 01/26/2022	<b>Temecula Honey</b>
Matrix: Concentrates & Extracts	Received: 01/26/2022	Lic. #
Type: Other	Completed: 02/01/2022	645 W 9th St
Sample Size: 10 units; Batch:	Batch#:	Los Angeles, CA 90744

## Microbials

Pass

Microbials	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 01/28/2022  
Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

## Mycotoxins

Pass

Mycotoxins	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested
B2	1.25	5		ND	Tested
G1	1.25	5		ND	Tested
G2	2.5	5		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	6.6	16.6	20	ND	Pass

Date Tested: 01/28/2022  
Mycotoxins by LC-MSMS: CGL-P-720-007-B  
LOQ = Limit of Quantitation

## Heavy Metals

Pass

Metals	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	0.2	<LOQ	Pass
Cadmium	0.000111	0.05	0.2	ND	Pass
Lead	0.000119	0.05	0.5	<LOQ	Pass
Mercury	0.000097	0.05	0.1	<LOQ	Pass

Date Tested: 01/27/2022  
Heavy Metals by ICP-MS: CGL-P-720-012-B  
LOQ = Limit of Quantitation



*Jordan Groathouse*

Jordan Groathouse - Laboratory Manager  
02/01/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Slurricane

Sample ID: 2201CGL0264.0601  
Strain: Slurricane  
Matrix: Concentrates & Extracts  
Type: Other  
Sample Size: 10 units; Batch:

Produced:  
Collected: 01/26/2022  
Received: 01/26/2022  
Completed: 02/01/2022  
Batch#:

Client  
**Temecula Honey**  
Lic. #  
645 W 9th St  
Los Angeles, CA 90744

### Residual Solvents

Pass

Solvents	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2 Dichloroethane	0.2344	0.4688	1	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass
Acetonitrile	23.438	187.5	410	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass
Ethanol	23.438	187.5	5000	ND	Pass
Ethyl Acetate	23.438	187.5	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass
Isopropanol	23.438	187.5	5000	ND	Pass
m+p Xylene	23.438	187.5		ND	Tested
Methanol	93.75	187.5	3000	ND	Pass
Methylene Chloride	0.2344	0.4688	1	ND	Pass
n-Hexane	23.438	187.5	290	ND	Pass
o-Xylene	23.438	187.5		ND	Tested
Pentane	23.438	187.5	5000	ND	Pass
Propane	23.438	93.75	5000	ND	Pass
Toluene	23.438	187.5	890	ND	Pass
Trichloroethene	0.2344	0.4688	1	ND	Pass
Xylenes	23.438	187.5	2170	ND	Pass

CALIGREEN  
LABORATORY

TESTED & TRUSTED

Date Tested: 01/28/2022

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Jordan Groathouse*

Jordan Groathouse - Laboratory Manager  
02/01/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.